AS	PC SSOCIATION CONNECTING ECTRONICS INDUSTRIES®	© Co	terial Compo byright 2005. IPC, Bannocl ternational and Pan-Americ	kburn, Illinois	. All rights reserve	tion with lower	level p	arts, the o	declaration	n encompa		er level mate	erials for	which th	e item is an assembly ie manufacturer has leclaration.		
1752-2 1.1 IPC Web Site for Inform http://www.ipc.org/IPC				ation on IPC-1752 Standard							ration Class * 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat						
Supplier Information																	
Con	npany Name *		Company Unique ID		Unique ID Au	Response Date *			Res	Response Document ID							
SEMTECH CORPORATION		ON	SEMTECH CORPOR	RATION				6-28									
Contact Name *			Title - Contact		Phone - Contact *		Email - Contact *				Duralizata	Orietziat	A	ui D -			
Elvia Finkel			Specialist, Document	t Control/C	805-498-211 <sup>-</sup>	efinkel@semtech.com				Duplicate	Contact	-> Autho	orized Re	presentative			
Authorized Representativ		ve *	* Title - Representative		Phone - Representative *		Email - Representative *			* Sup	Supplier Comments or URL for Additional Information						
Elvi	a Finkel		Specialist, Documen	t Control/C	805-498-211 <sup>-</sup>	efinkel@semtech.com											
Requester Item Number		r (	Mfr Item Number		Mfr Item Name		Effective Date Ve		Version	Manufactu	ing Site	Weight *	UC	M	Unit Type		
			GN2042-INE3	Dual-CDR N		Multi-Rate Transceiv				Malaysia	64.9		mg	)	Each		
	Alternate Recommend	ation						Alternate Item C			comments						
Manufacturing Process Information																	
Terminal Plating / Grid Array Mat		Materi	aterial Terminal F		Base Alloy J-STD-020 MSL F		ating Peak Process		ess Body	Temperatur	ature Max Time at Peak Tem		perature Number of Reflow Cycle		of Reflow Cycles		
Matte Tin (Sn)			CU Alloy		/ 1				2	2 <b>60</b> C	30 క		econds 3				
Com	nments																
GN2	2042-INE3 is a REAC	H-con	npliant product, per	EU Regu	ation EC190	7/2006 to include	recent	addition	of SVH	C candida	te list of sul	bstances D	Dec. 201	5			

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields				
RoHS Material Composition Declaration Declaration Type * Detailed											
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),				
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided				
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted				
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration				
Declaration S	ignature										
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se	• • • • •	and the second s	terrestring and - Distingthe stars				

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

		Item/SubItem		Homogeneous		Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		РРМ
	_	Name		Material	weight	Measure			Substance Category			Substance		Exempt			-	+	
-	·   -	Die	+M -M		5.59	mg	+C -C	Supplier		+S	-S	Si	7440-21-3		5.59	mg			1,000,0
-	·I -	Die Attach	+M -M	CRM-1076DS	0.86	mg	+C -C	Supplier		+S	-S	Ag	7440-22-4		0.66	mg			10,211
		•						-		+S	-s	Epoxy Resin	9003-36-5		0.11	mg			1,658
										+S	-s	t-Butyl phenyl glycidy e	3101-60-8		0.06	mg			862
										+S	-s	Phenolic Resin	9003-35-4		0.02	mg			365
										+S	-s	Epoxy Silane	2530-83-8		0.01	mg			165
-	·I -	Lead Finish Extern	a+M -M		2.86	mg	+C -C	Supplier		+S	-S	Sn	744-31-5		2.86	mg			1,000,0
-	·   -	Lead Frame	+M -M	C194	35.03	mg	+C -C	Supplier		+S	-S	Cu	7440-50-8		33.78	mg		9	964,20
		-		-						+S	-s	Fe	7439-89-6		0.82	mg			23,500
										+S	-s	Ag	7440-22-4		0.35	mg			10,000
										+S	-s	Zn	7440-66-6		0.04	mg			1,300
										+S	-s	Р	7723-14-0		0.04	mg			1,000
-	·I -	Mold Compound	+M -M	EME G770HCD	19.22	mg	+C -C	Supplier		+S	-S	Carbon Black	1333-86-4		0.06	mg		:	3,000
		•		-						+S	-s	Epoxy Resin	Trade Secre		0.58	mg			30,000
										+S	-s	Phenol Resin	Trade Secre		0.58	mg			30,000
										+S	-s	Silica Fused	60676-86-0		18.01	mg			937,00
-	·   -	Wires	+M -M	EX1.1 Pd Coated	1.34	mg	+C -C	Supplier		+S	-s	Cu	7440-50-8		1.31	mg		9	973,00
				<u>.</u>				•		+S	-s	Pd	7440-05-3		0.04	mg			27,000