	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level pa	arts, the	declaratio	n encor	mpasses all		erials for	which	ne item is an assembly the manufacturer has declaration.
1752-2 1.1		Web Site for Informat		-1752 Standa	rd		Form Type * Declaration Class * Distribute Class 6 - RoHS Yes/No, Homogeneous Materi						Material	s and Mfg Informat
Supplier Information														
Company Name *		Company Unique ID		Unique ID Au	Ithority	Respo	nse Date) *		Response D	ocument ID			
SEMTECH CORPORATION 00-84		00-847-9941		DUNS	2017-0	1-30								
Contact Name * Roya Motamedi		Title - Contact Supervisor, QA Prod	uct Suppo	Phone - Cor 805-498-211	Email - Contact * rmotamedi@semtech.com			om	Duplicate Contact -> Authorized Representative					
Authorized Representati Roya Motamedi	Title - Representative Supervisor, QA Prod		Phone - Rep 805-498-211	Email - Representative * rmotamedi@semtech.com				Supplier Co	mments or UR	L for Add	ditional I	nformation		
Requester Item Number	r	Mfr Item Number		Mfr Item Name	Effective	e Date	Version	Manufa	acturing Site	Weight *	UC	DM	Unit Type	
		RClamp0561PQTCT		Femto Farad	RailClamp 1-Line,				China		0.93	m	 וg	Each
Alternate Recommenda	ation				Alternate Item C			Item Co	omments			-		
Manufacturing Proces	ss In	formation												
Terminal Plating / Grid Array	Materi	ial	Terminal B	ase Alloy	J-STD-020 MSL Ra	ating	Peak Proc	ess Body	Temper	rature Max T	me at Peak Terr	perature	Number	of Reflow Cycles
Nickel/Palladium/Gold (Ni/Pd/Au) CU Alloy				1			:	260 C	;	30 s	econds	3		
RClamp0561PQTCT is R	EACI	H-compliant produc	t, per EU F	Regulation E	C1907/2006 to inc	clude re	ecent add	dition of	SVHC	candidate I	ist of substan	ices in J	une 201	16.

Save the fields in this form to a file	Evport Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent chan	Look Cupplier Fields
RoHS Materia	Composition Declar	ation				Declaration Type	* Detailed
		ty limit of 0.1% by mass (100 Ethers (PBDE) and quantity					ominated Biphenyls (PBB),
chromium, polybromina excess of an applicable gathered the information Company will rely on thi completing this form, ar certifications regarding conditions of that agree	ted biphenyls and/or polybrominate quantity limit, please indicate below it provides in this form using app s certification in determining the co d that Supplier may not have inde heir contributions to the part, and ment, including any warranty rights	ompliance of its products with European pendently verified such information. Ho those certifications are at least as comp	ricted substance?) in excess believe may apply. If the p y and that such information n Union member state laws owever, in situations where prehensive as the certificati hat agreement, will be the s	ss of the applicable quantity lim part is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independently ion in this paragraph. If the Co sole and exclusive source of the	it identified above. If a homoge evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges y verified information provided lo popany and the Supplier enter is a Supplier?s liability and the Co	eneous material within the part cor on shall encompass all such comp of the date that Supplier complete: s that Supplier may have relied on by others, Supplier agrees that, at into a written agreement with resp impany?s remedies for issues that	ntains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that information provided by others in a minimum, its suppliers have provided
RoHS Declaration	n * 1 - Item(s) does not conta	ain RoHS restricted substances per the	he definition above			Supplier Acceptance *	Accepted
	e declared item does not co all applicable exemptions.	ntain RoHS restricted substanc	es per the definition a	above except for defined	RoHS exemptions, then	select the corresponding re	esponse in the RoHS Declaration
Declaration S	ignature						
In a family of the second	ward a factor and the factor of the second s	al Calaba and all manages of the last		a second se		and the second s	town - town

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		РРМ
	Name		Material	weight	Measure			Level	Substance Category			Substance					-	+	
+ -	Die	+M -M	Doped silicon	0.013	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		0.013	mg			13,929
+ -	Lead frame	+M -M	C7025	0.372	mg	+C	-C	Supplier		+S	-S	Cu	7440-50-8		0.348	mg			374,04
			-							+S	-S	Si	7440-21-3		0.0026	mg			2,828
						+C	-C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.0116	mg			12,481
						+C	-C	В		+S	-S	Nickel	7440-02-0		0.0084	mg			9,018
						+C	-C	Supplier		+S	-S	Pd	7440-05-3		0.0008	mg			820
										+S	-S	Au	7440-57-5		0.0002	mg			163
+ -	Bonding wire	+M -M	Gold	0.0015	mg	+C	-C	Supplier		+S	-s	Au	7440-57-5		0.0015	mg			1,634
+ -	Molding compound	+M -M	EME-G700 HCD	0.507	mg	+C	-C	Supplier		+S	-s	Silica fused	60676-86-0		0.474	mg			510,14
										+S	-S	Epoxy resin	Proprietary		0.0152	mg			16,368
										+S	-S	Phenol resin	Proprietary		0.0152	mg			16,368
										+S	-S	Carbon black	1333-86-4		0.0025	mg			2,728
+ -	Die attach epoxy	+M -M	8006NS	0.004	mg	+C	-C	Supplier		+S	-s	Aluminum oxide	1344-28-1		0.0015	mg			1,579
	3									+S	-S	Diethylene glycol mono	112-15-2		0.0015	mg			1,579
										+S	-S	Epoxy resin	Proprietary		0.0012	mg			1,300
										+S	-S	Amine	Proprietary		0.0002	mg			186
+ -	Tin solder	+M -M	Pure tin	0.0318	mg	+C	-C	Supplier		+S	-S	Sn	7440-31-5		0.0318	mg			34,142